CERTIFICATE OF ANALYSIS

Work Order	: **FP2623794**	Issue Date	: 30-Sep-2026
Customer	: **BRAINMARKET s.r.o.**	Laboratory	: ALS Czech Republic, s.r.o.
Contact	: Jana Stuchlíková	Contact	: F&P Client Service
Address	: Cihelní 3286 702 00 Ostrava	Address	: Na Harfe 336/9 Prague 9 - Vysocany 190 00 Czech Republic
E-mail	: stuchlikova@brainmarket.cz	E-mail	: czsupport.food@alsglobal.com
Telephone	: ----	Telephone	: +420 226 226 998
Project	: ----	Page	: 1 of 2
Order number	: 229/2026	Date Samples Received	: 31-Aug-2026
		Quote number	: FP2026BRAIS-CZ0001 (CZ-114-26-5011)
Site	: ----	Date of test	: 01-Sep-2026 - 30-Sep-2026
Sampled by	: zákazník	QC Level	: ALS CR Standard Quality Control Schedule

General Comments

This report shall not be reproduced except in full, without prior written approval from the laboratory. The laboratory is not responsible for the sample data supplied by the customer and their impact on the validity of the result.
The laboratory declares that the test results relate only to the listed samples. If "ALS" is not included in the test report in the "Sampled by" section, then the results refer to the sample as received.
The sample FP2623794-001, method B-METAXDG1, the concentration of Mg in the sample is 171 mg/dose. The recalculation was based on the received value of dose weight from the client (m=15 g). This recalculation is not accredited.
Attachment/s number 1 is/are an integral part of the certificate of analysis.

Responsible for accuracy

Testing Laboratory No. 1163
Accredited by CAI according to
CSN EN ISO/IEC 17025:2018

Signatories		*Position*
Eliška Baštářová		Site Manager Food

GMP+ Registered Laboratory-GMP050490
The company is certified according to ČSN EN ISO 14001 (Environmental management systems) and ČSN ISO 45001 (Occupational health and safety management systems)

Sample Information

No. of samples received	: 1	*Date Samples Received*
No. of samples analysed	: 1	31-Aug-2026 14:00

When sampling date is not provided by the client, the laboratory determines it for procedural reasons, then it is equal to the date of receipt of the sample to the laboratory and is displayed in brackets.

Sub-Matrix : DIETARY SUPPLEMENT

Laboratory sample ID	*Client sample ID*	*Client sampling date / time*
FP2623794-001	BrainMax Sleep Faster®, GABA UPGRADE!	31-Aug-2026

Analytical Results

Sub-Matrix: **DIETARY SUPPLEMENT**				*Laboratory sample ID*	**FP2623794-001**		--------		--------	
				Client sampling date / time	31-Aug-2026		----		----	
Parameter	*Method*	*LOR*	*Unit*		**Result**	**MU**	**Result**	**MU**	**Result**	**MU**
Total Metals / Major Cations										
Magnesium	B-METAXDG1	3.0	mg/kg		**11400**	± 20.0%	**----**	----	**----**	----
Miscellaneous Parameters										
Subcontracted Analysis	B-UNICO-SUB	-	-		**in the attachment 1**	----	**----**	----	**----**	----

Measurement uncertainty is expressed as expanded measurement uncertainty with coverage factor k = 2, representing 95% confidence level.
Key: LOR = Limit of reporting; MU = Measurement Uncertainty. The MU does not include sampling uncertainty.

Brief Method Summaries

Analytical Methods	*Method Descriptions*
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
B-METAXDG1	CZ_SOP_D06_09_001 (US EPA Method 200.7, ČSN EN ISO 11885) Determination of elements by atomic emission spectrometry with inductively coupled plasma and stoichiometric calculations of compounds concentration from measured values. Sample was homogenized and mineralized by acids and hydrogen peroxide prior to analysis.
B-UNICO-SUB	Universal code for subcontracted service. The method is not within the scope of accreditation of ALS Czech Republic, s.r.o., the information about the subcontractor accreditation is given in the appendix.

Preparation Methods	*Method Descriptions*
Location of test performance: Na Harfe 336/9 Prague 9 - Vysocany Czech Republic 190 00	
*B-RECALC-METAL	Recalculation
*B-RECALC-SUB	Recalculation

The symbol "*" for the method indicates a test outside the scope of accreditation of the laboratory or subcontractor. If the UNICO-SUB code is stated in the method table, this only informs that the tests have been performed by a subcontractor and the results are given in an annex to the test report, including information on test accreditation. If the lab used for matrix outside the scope of accreditation or non-standard sample matrix procedure specified in the accredited method and issues non-accredited results, this fact is stated on the title page of this protocol in the section "Notes". If the test report shows the results of subcontracting, the place of performance of the test is outside the laboratories of ALS Czech Republic, s.r.o.
The method for calculating of the summation parameters is available on request in the customer service.

The end of the certificate of analysis